

## Major Specifications of DocuCentre-IV C2263

### Basic Function/Copy Function

Item	Description
Type	Console Type
Memory*1	1GB (Max: 2GB)
HDD*2	160GB (available capacity: 100GB)
Color Capability	Full Color
Scanning Resolution	600x600dpi
Printing Resolution	600x600dpi
Half-tone/Printable Colors	256 levels for each color (16.7 million colors)
Warm-up Time*3	31 seconds or less, 23 seconds or less when the main power is on (at room temperature of 20°C)
Original Paper Size	Maximum for sheet and book: 297x432 mm (A3, 11x17")
Output Paper Size	Max. A3, 11x17" Min. A5 [For By-pass Tray: Postcards (made by Japan Post Service Co., Ltd.), envelope (90x205mm)]
Image Loss	Lead edge 4mm or less, Trail edge 2mm or less, Right & Left Edges 2mm or less
Output Paper Weight*4	Trays 60-256g/m <sup>2</sup> By-pass Tray 60-216g/m <sup>2</sup>
First Copy Output Time	B&W: 6.5 seconds (A4LEF, B&W priority mode), Full Color: 8.1 seconds (A4LEF, Color priority mode)
Reduction/Enlargement	100% 1:1±0.7% Preset 1:0.500, 1:0.707, 1:0.816, 1:0.866, 1:1.154, 1:1.225, 1:1.414, 1:2.000 Variable 1:0.25-1:4.00 (by 1% increments)
Continuous Copy Speed*5	A4LEF/BSLEF B&W: 20ppm, Color: 20ppm A4 B&W: 16ppm, Color: 16ppm B5 B&W: 11ppm, Color: 11ppm B4 B&W: 13ppm, Color: 13ppm A3 B&W: 11ppm, Color: 11ppm
Paper Tray/Capacity*6	Standard 4T Model: 560 sheets x 4 trays + 50 sheets (By-pass Tray) 2T / 2TS Model: 560 sheets x 2 trays + 50 sheets (By-pass Tray) Maximum Paper Capacity 4T Model: 2,290 sheets 2T/2TS Model: 1,170 sheets
Continuous Copy*7	999 sheets
Output Tray Capacity*6*8	400 sheets (A4LEF), 200 sheets (A3)
Power Supply	AC100V±10%, 15A, 50/60Hz
Power Consumption	P-4T/2T/2TS Model: 1.5kW or less, Sleep Mode: 1.4W or less, Low Power Mode: 81W or less*9, Standby Mode: 110W or less PFS-4T/2T/2TS Model: 1.5kW or less, Sleep Mode: 1.6W or less, Low Power Mode: 81W or less*9, Standby Mode: 110W or less
Dimensions	P-4T/2T model: (W)585 x (D)640 x (H)1,046mm, P-2TS model: (W)585 x (D)640 x (H)874mm PFS-4T/2T model: (W)585 x (D)640 x (H)1,132mm (with Duplex Automatic Document Feeder) PFS-2TS model: (W)585 x (D)640 x (H)960mm (with Duplex Automatic Document Feeder)
Machine Weight*10	P-4T model: 109kg P-2T model: 101kg P-2TS model: 97kg PFS-4T model: 115kg PFS-2T model: 107kg PFS-2TS model: 103kg (with Fax and Duplex Automatic Document Feeder)
Space Requirement	P-4T/2T/2TS model: (W)919 x (D)640 mm (When the Bypass tray is fully extended.) PFS-4T/2T/2TS model: (W)964 x (D)640 mm (When the Bypass tray is fully extended, When stopper of DADF is turned on.)

\*1: Additional optional memory may be required depending on functions to be used. Refer to the price list for details. To upgrade to 2GB, it is necessary to remove 1GB memory and install 2GB memory. \*2: Not all of the indicated hard disk capacity may be available. \*3: The speed may slow down due to image quality adjustment. \*4: Use of Fuji Xerox brand paper is recommended. Document may not be printed correctly depending on usage conditions. \*5: The speed may be lower due to image quality adjustment. \*6: Fuji Xerox "P" paper. \*7: In order to stabilize the image quality, machine may stop its operation temporarily. \*8: When the optional inner catch tray is installed, the capacity of the center tray is 240 sheets (A4LEF), and that of the inner catch tray is 250 sheets (A4LEF). \*9: Energy Saver mode is not set in factory default settings. \*10: Excluding toner cartridges.

### Fax Function (Optional)

Item	Description
Send Document Size	Max: A3, 11x17", Long size document (Max. 600mm)
Recording Paper Size	Max: A3, 11x17", Min.: A5
Transmission Time	Less than 2 seconds*1
Transmission Mode	ITU-T G3
Scanning Resolution	Standard 8x3.85 lines/mm, 200x100dpi Fine 8x7.7 lines/mm, 200x200dpi Super Fine (400dpi) 16x15.4 lines/mm, 400x400dpi Super Fine (600dpi) 600x600dpi
Coding Method	MH, MR, MMR, JBIG
Transmission Speed	G3: 33.6/31.2/28.8/26.4/24.0/21.6/19.2/16.8/14.4/12.0/9.6/7.2/4.8/2.4kbps
No. of Fax Lines	Telephone subscriber line, PBX, facsimile communication network (PSTN), Max. 3 ports*2 (G3-3 ports)

\*1: When A4 size document with approximately 700 characters is transmitted in standard image-quality (8x3.85 lines/mm) and in high speed mode (28.8kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition. \*2: Up to three lines can be connected. Number of ports is that of the channels that can be used for communication.

### <Reproduction Prohibitions> Please note that reproduction of the following is prohibited by law:

● Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. ● Unused postage stamps and post cards. ● Certificate stamps stipulated by law. ● The reproduction of copyrighted works (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range.

### <For Your Safe Use>

● Before using the product, read the Instruction Manual carefully for proper use. ● Use the product with an appropriate and adequate power source and voltage displayed. ● Be sure to ground the machine. In the case of a failure or short circuit, an electric shock may result.

### Print Function

Item	Description
Type	Built-in Type
Continuous Print Speed*1	Same as those shown in Fundamental Function/Copy Function
Print Resolution	Output 600x600dpi Data Processing Standard: 300x300dpi, High quality: 600x600dpi
PDL	Standard ART EX Optional Adobe® PostScript® 3™
Protocol	Ethernet (Standard) TCP/IP (Ipd, IPP, Port9100, SMB, WSD, Novell® NetWare®, BMLINKS®, ThinPrint®), Novell® NetWare® (IPX/SPX), NetBEUI (SMB), EtherTalk®2
Operating System*3	Standard [ART EX Driver] Windows® 2000 Japanese/English, Windows® XP Japanese/English, Windows Server® 2003 Japanese/English, Windows Vista® Japanese/English, Windows Server® 2008 (x86) Japanese/English, Windows® 7 Japanese/English, Windows® XP Professional x64 Edition Japanese/English, Windows Server® 2003 x64 Editions Japanese/English, Windows Vista® 64-bit Japanese/English, Windows Server® 2008 (x64) Japanese/English, Windows Server® 2008 R2 (x64) Japanese/English, Windows® 7 64-bit Japanese/English, [Mac OS X Driver] Mac OS X 10.5-10.7 Japanese/English Optional [Adobe® PostScript® 3™ Kit] Windows® 2000 Japanese/English, Windows® XP Japanese/English, Windows Server® 2003 Japanese/English, Windows Vista® Japanese/English, Windows Server® 2008 (x86) Japanese/English, Windows® 7 Japanese/English, Windows® XP Professional x64 Edition Japanese/English, Windows Server® 2003 x64 Editions Japanese/English, Windows Vista® 64-bit Japanese/English, Windows Server® 2008 (x64) Japanese/English, Windows Server® 2008 R2 (x64) Japanese/English, Windows® 7 64-bit Japanese/English, Mac OS X 10.3.9-10.4.6/10.4.8-10.4.11/10.5-10.7 Japanese/English
Fonts	Standard Outline (Heisei-Mincho™ W3, Heisei-Kaku-Gothic™ WS, European 19 Fonts), Stroke (Japanese Fonts, European Fonts: for HP-GL) Optional [Adobe® PostScript® 3™ Kit] Heisei 2 Fonts: Japanese 2 Fonts (Heisei-Mincho™ W3, Heisei-Kaku-Gothic™ WS), European 136 Fonts Morisawa 2 Fonts: Japanese 2 Fonts (Ryumin L-KL™, Middle Gothic BBB™), European 136 Fonts [Emulation Kit] European 82 Fonts, Symbol 37 Sets
Emulation	Standard ART IV, ESC/P (VP-1000), BMLINKS®, PDF, XPS, Docuworks, TIFF, JPEG Optional [Emulation Kit or Adobe® PostScript® 3™ Kit] PC-PR201H, HP-GL (HP7586B), HP-GL/2/RTL (HP Design Jet750C Plus), PCL5/PCL6
Connectivity	Standard Ethernet 100BASE-TX/10BASE-T, USB2.0*4

\*1: The speed may be lower due to image quality adjustment. Printing speed may be lower depending on documents when printed in high resolution. \*2: The optional Adobe® PostScript® 3™ kit is required. Supports Mac OS 9.2.2 Japanese, Mac OS X 10.3.9-10.4.6/10.4.8-10.4.11/10.5 Japanese. \*3: Please refer to the Fuji Xerox web site about the latest compliant OS information. \*4: Supports Windows® 2000, Windows® XP, Windows Server® 2003, Windows Vista®, Windows Server® 2008 (x86), Windows® 7, Windows® XP Professional x64 Edition, Windows Server® 2003 x64 Editions, Windows Vista® 64-bit, Windows Server® 2008 (x64), Windows Server® 2008 R2 (x64), Windows® 7 64-bit Japanese/English, Mac OS X 10.3.9-10.4.6/10.4.8-10.4.11/10.5/10.6/10.7 Japanese. \*WSD: Web Services on Devices. \*XPS: XML Paper Specification. \* To print in a Linux® OS environment, please use the Japanese Linux® printer driver which can be downloaded from the Fuji Xerox web site as non-guaranteed software.

### Scan Function (Optional)

Item	Description
Type	Color Scanner
Original Paper Size	Same as those shown in Fundamental Function/Copy Function
Scanning Resolution	600x600dpi, 400x400dpi, 300x300dpi, 200x200dpi
Scanning Half-tone	10-bit input, 8-bit output for each RGB color
Scanning Speed*1	B&W: 55ipm, Color: 55ipm [Fuji Xerox standard document (A4 LEF), 200 dpi, to device folder.]
Connectivity	Standard Ethernet 100BASE-TX/10BASE-T
Store to Folder	Protocol TCP/IP (WebDAV, HTTP) File Format B&W Binary: TIFF, DocuWorks™, PDF™, XPS™, Grayscale: TIFF, JPEG™, DocuWorks™, PDF™, XPS™ Full Color: TIFF, JPEG, DocuWorks™, PDF™, XPS™, High-compression DocuWorks™*2,*4, High-compression PDF™*2,*4, High-compression XPS™*2,*4 Driver TWAIN
Operating System*5	Windows® 2000 Japanese/English, Windows® XP Japanese/English, Windows Server® 2003 Japanese/English, Windows Vista® Japanese/English, Windows Server® 2008 (x86) Japanese/English, Windows® 7 Japanese/English, Windows® XP Professional x64 Edition Japanese/English, Windows Server® 2003 x64 Editions Japanese/English, Windows Vista® 64-bit Japanese/English, Windows Server® 2008 (x64) Japanese/English, Windows Server® 2008 R2 (x64) Japanese/English, Windows® 7 64-bit Japanese/English
Save to PC	Protocol TCP/IP (SMB, FTP) Operating System Windows® 2000 Japanese/English, Windows® XP Japanese/English, Windows Server® 2003 Japanese/English, Windows Vista® Japanese/English, Windows Server® 2008 (x86) Japanese/English, Windows® 7 Japanese/English, Windows® XP Professional x64 Edition Japanese/English, Windows Server® 2003 x64 Editions Japanese/English, Windows Vista® 64-bit Japanese/English, Windows Server® 2008 (x64) Japanese/English, Windows Server® 2008 R2 (x64) Japanese/English, Windows® 7 64-bit Japanese/English Mac OS X 10.2.x/10.3.8/10.3.9/10.4.2/10.4.4/10.4.8/10.4.9/10.4.10/10.5/10.6 Japanese/English, Novell® NetWare® (5.11/5.12/)*6 File Format B&W Binary: TIFF, DocuWorks, PDF, XPS, Grayscale/Full Color: TIFF, JPEG, DocuWorks, PDF, XPS, High-compression DocuWorks™*4, High-compression PDF™*4, High-compression XPS™*4
Scan to e-mail	Protocol TCP/IP (SMTP) File Format B&W Binary: TIFF, DocuWorks, PDF, XPS, Grayscale/Full Color: TIFF, JPEG, DocuWorks, PDF, XPS, High-compression DocuWorks™*4, High-compression PDF™*4, High-compression XPS™*4

\*1: Scanning speed varies according to the document type. \*2: When scanned image is retrieved using CentreWare Internet Services. \*3: When Network Scanner Utility 3 is used. \*4: When optional Image Compression Kit is installed. \*5: Please refer to the Fuji Xerox web site about the latest compliant OS information. \*6: Supports only FTP. \*XPS: XML Paper Specification.

\* If the storage media (hard disk) of the product fails, the data received, stored, or registered in the media may be erased. Fuji Xerox will not be held responsible for any damage caused due to such loss of data.  
\* Key repair components will be available for at least 7 years after the product is no longer manufactured.

## DocuCentre-IV C2263

# DocuCentre-IV C2263

Digital Color Multifunction Device



<http://www.fujixerox.co.jp/eng>

Xerox and the sphere of connectivity design are trademarks or registered trademarks of Xerox Corporation in the U.S. and/or other countries.

The contents described herein are correct as of January, 2012. DGE-1209E 1112

**FUJI XEROX**

For more information or detailed product specifications, call or visit us at

**Fuji Xerox Co., Ltd.**

9-7-3 Akasaka, Minato-ku, Tokyo 107-0052

Tel. 03-6271-5111

For comments about Fuji Xerox and consultation, contact the **Customer Information Center.**

**0120-27-4100**

Toll-free call service time: 9:00 to 12:00 and 13:00 to 17:00 excluding Saturdays, Sundays and national holidays (at Headquarters in Tokyo). However, you cannot use this service with an extension telephone with call area restrictions. Please use a nation-wide call available telephone.

The telephone call might be recorded to correctly understand your inquiry or to later check how the receiver provided support.

# New Product Topics

Friendlier, quieter, and with a new energy saving function.

The DocuCentre-IV C2263 is a digital color multifunction device that you will want by your side.

## ■ A compact and quiet digital color multifunction device

Quiet enough to be placed next to your desk. This device is perfect for SOHOs and offices with limited space. This color multifunction device is compact yet can handle A3 size faxes, and is sure to widen the scope of your work.

## ■ Environmentally friendly, accessible, and comfortable

The DocuCentre-IV C2263 has achieved a 0.95kWh\*<sup>2</sup> TEC value\*<sup>1</sup>, which is compliant to the International Energy Star Program standard. It actively uses bio-based plastic to reduce CO<sub>2</sub> emissions and responds to the problem of declining petroleum resources.

\*1: The above values are measured in accordance with the International Energy Star Program measurement methods.  
\*2: P model case. PFS model is 1.00 kWh.

## ■ Rich with scanning functions to stimulate the sharing of information

Features high-speed scanning of 55 sheets/minute for both color, and black-and-white\*<sup>1</sup>. In addition to compressing data and creating DocuWorks, PDF, and XPS files during scanning, the size of documents with a relatively small number of colors can be made even smaller\*<sup>2</sup>. This allows documents to be attached to e-mails and enables speedy sharing of information to offices in remote locations.

\*1: Optional. Scan Kit is required.  
\*2: Optional. High Compression Image Kit and Extension System Memory (2GB) are required.



## DocuCentre-IV C2263

Copy		Print	
Color	20 ppm* <sup>1</sup>	Color	20 ppm* <sup>1</sup>
B&W	20 ppm* <sup>1</sup>	B&W	20 ppm* <sup>1</sup>
Fax		Scan	
Super G3 Compatible		Color / B&W	55 ppm* <sup>2</sup>

\*1: A4 LEF. \*2: Fuji Xerox standard document (A4 LEF), 200 dpi, to device folder.

DocuCentre-IV C2263	Copy	Print	Fax	Scan	Duplex Automatic Document Feeder
P model	●	●	○	○	○
PFS model	●	●	●	●	●

●: Standard ○: Optional

※ 4 tray (4T), 2 tray (2T) and 2 tray short (2TS) models are available.  
※ The photo is of the DocuCentre-IV C2263 PFS-4T model.

Perfect for placement next to your desk

Quietness enabling design

Supports A3 size Fax



## Waste-free powering only the parts that are used!

### Smart Energy Management Technology

The device has reduced power consumption and CO<sub>2</sub> emissions by dividing the device into four modules; “scanner,” “control panel,” “output device,” and “controller,” and only activating the parts that are to be used for a current function. In addition, users close the device are not bothered by noises for jobs that do not use the document feeding and output device.

### Control panel usable in approximately 3 seconds

■ High-speed reactivation of control panel  
Previously when a device is recovering from the sleep mode, the control panel to be displayed after waiting for the output device to warm up. For the DocuCentre-IV C2263 model series, the control panel is operational in approximately 3 seconds after pressing the energy saver button. Therefore, the user can perform operations without waiting for the device to become operational.




We propose a more convenient use of information by linking mobile devices with Working Folders.

## Mobile & Cloud Service Linkage

From your smartphone outside of the office:

- Viewing, registering, downloading documents.



From a MFD:

- Download printing
- Automatic registration of received fax documents
- Scan registering



From the web browser or DocuWork Desk of your PC:

- Administrator function, searching, drag & drop

Documents can be viewed when you are away from the office using smartphones and tablet devices. Even if you do not have a document server at your company, a Working Folder can be used to enable smooth digitization and information sharing without being restricted to a specific location.



## Easily operated while sitting down!

### 2 tray short model

The lineup of the DocuCentre-IV C2263 includes a “2 tray short model.” This model can be easily placed next to a desk and operated while sitting on a chair. In addition to standard offices, this can raise the efficiency of reception work in banks, city offices, and hospitals, etc. because you do not have to leave your seat as often.

### Reducing the work burden by decreasing the height of the device

#### ■ Smooth use from a wheelchair

The shorter 2 tray short model will assist your people who work from wheelchairs. With the ease in recovering printed materials, scanning and faxing, an extra effort is no longer required.



## A cloud service that directly links with multifunction devices!

### Working Folder

Fuji Xerox’s “Working Folder” cloud service can be linked and directly accessed from a multifunction device. Scanned documents and received fax documents can be forwarded and stored documents can be outputted. Documents in the cloud can be operated using DocuWorks Desk, and can also be viewed and operated from smartphones.

※ The conclusion of the Working Folder Service contract is required in using this function.  
※ A Custom Service Extension Kit is required for Working Folder linkage.

### Outputting from a tablet device

#### ■ Print Utility for iOS / Android™

A dedicated printing application that supports the iPhone, iPad, and Android™ devices is provided free-of-charge. This enables you to print Web pages, photos, address book contacts\*, and captured images, etc. via a wireless LAN access point.

※ Print Utility for iOS can be downloaded from the App Store free-of-charge, and Print Utility for Android™ can be downloaded from the Android™ Market free-of-charge.

\* Print Utility for iOS only.

